

Alle Publikationen nach Jahr aus der Klinik für Geriatrie und dem Zentrum Alter und Mobilität

Stand 14.02.2019

Publikationen sind nur einmalig aufgeführt.

2019

- 1) **Bischoff-Ferrari HA**, Orav EJ, Abderhalden L, Dawson-Hughes B, Willett WC. Vitamin D supplementation and musculoskeletal health.
[Lancet Diabetes Endocrinol. 2019 Feb; 7\(2\):85.](#) Impact Factor: 19.31
- 2) Lips P, Cashman KD, Lamberg-Allardt C, **Bischoff-Ferrari HA**, Obermayer-Pietsch BR, Bianchi M, Stepan J, El-Hajj Fuleihan G, Bouillon R. Management of endocrine disease: current vitamin D status in European and Middle East countries and strategies to prevent vitamin D deficiency; a position statement of the European calcified tissue society. [Consensus statement]
[Eur J Endocrinol. 2019 Feb 1 \(Epub ahead of print\)](#) Impact Factor: 4.33
- 3) Gugger A, Marzel A, Orav EJ, Willett WC, Dawson-Hughes B, Theiler R, Freystätter G, Egli A, **Bischoff-Ferrari HA**. Effect of monthly high dose vitamin D on mental health in older adults: secondary analysis of a RCT.
[J Am Geriatr Soc. 2019; Feb 1 \(Epub ahead of print\)](#) Impact Factor: 4.15
- 4) Biver E, Calmy A, Aubry-Rozier B, Birkhäuser M, **Bischoff-Ferrari HA**, Ferrari S, Frey D, Kressig RW, Lamy O, Lippuner K, Suhm N, Meier C. Diagnosis, prevention, and treatment of bone fragility in people living with HIV: a position statement from the Swiss Association against Osteoporosis. [Consensus statement]
[Osteoporos Int. 2019 Jan 2 \(Epub ahead of print\)](#) Impact Factor: 3.86
- 5) Wiegand A, Zieger A, Staiger RD, Egli A, Freystätter G, **Bischoff-Ferrari HA**, Chocano-Bedoya Po. Association of depression with malnutrition, grip strength and impaired cognitive function among senior trauma patients.
[J Affect Disord. 2019 Mar 15;247:175-182.](#) Impact Factor: 3.79

2018

- 1) **Bischoff-Ferrari HA**, Bhasin S, Manson JE. Preventing Fractures and Falls: A Limited Role for Calcium and Vitamin D Supplements?
[JAMA. 2018 Apr 17;319\(15\):1552-1553.](#) Impact Factor: 47.66
- 2) **Bischoff-Ferrari HA**, Orav EJ, Egli A, Dawson-Hughes B, Fischer K, Staehelin HB, Rizzoli R, Hodler J, von Eckardstein A, Freystaetter G, Meyer U, Guggi T, Burckhardt P, Schietzel S, Chocano-Bedoya P, Theiler R, Willett WC, Felson D. Recovery after unilateral knee replacement due to severe osteoarthritis and progression in the contralateral knee: a randomised clinical trial comparing daily 2000 IU versus 800 IU vitamin D.
[RMD Open. 2018 Jul 9;4\(2\):e000678.](#) Impact Factor: 12.35
- 3) Segna D, Bauer DC, Feller M, Schneider C, Fink HA, Aubert CE, Collet TH, da Costa BR, Fischer K, Peeters RP, Cappola AR, Blum MR, van Dorland HA, Robbins J, Naylor K, Eastell R, Uitterlinden AG, Rivadeneira Ramirez F, Gogakos A, Gussekloo J, Williams GR, Schwartz A, Cauley JA, Aujesky DA, **Bischoff-Ferrari HA**, Rodondi N; Thyroid Studies Collaboration. Association between subclinical thyroid dysfunction and change in bone mineral density in prospective cohorts.
[J Intern Med. 2018;283\(1\):56-72](#) Impact Factor: 7.98
- 4) Schlögl M, Chocano-Bedoya P, Dawson-Hughes B, Orav EJ, Freystätter G, Theiler R, Kressig RW, Egli A, **Bischoff-Ferrari HA**. Effect of monthly vitamin D on chronic pain among community-dwelling seniors: a randomized, double-blind controlled trial.
[J Am Med Dir Assoc. 2018; Nov 3.](#) Impact Factor: 5.33

- 5) Stemmler J, Marzel A, Chocano-Bedoya PO, Orav EJ, Dawson-Hughes B, Freystätter G, Egli A, Theiler R, Staehelin HB, **Bischoff-Ferrari HA**. Effect of 800 IU versus 2000 IU vitamin D3 with or without a simple home exercise program on functional recovery after hip fracture: a randomized controlled trial.
[J Am Med Dir Assoc. 2018 Dec 11 \(Epub ahead of print\)](#) Impact Factor: 5.33
- 6) Teister CJ, Chocano-Bedoya PO, Orav EJ, Dawson-Hughes B, Meyer U, Meyer OW, Freystaetter G, Gagesch M, Rizzoli R, Egli A, Theiler R, Kanis JA, **Bischoff-Ferrari HA**. Which method of fall ascertainment captures the most falls in prefrail and frail seniors?
[Am J Epidemiol. 2018; Oct 1;187\(10\):2243-2251.](#) Impact Factor: 4.3
- 7) Mathieu SV, Fischer K, Dawson-Hughes B, Freystätter G, Beuschlein F, Schietzel S, Egli A, **Bischoff-Ferrari HA**. Association between 25-Hydroxyvitamin D status and components of body composition and glucose metabolism in older men and women.
[Nutrients. 2018 Nov 25;10\(12\).](#) Impact Factor: 4.20
- 8) **Bischoff-Ferrari HA**, Dawson-Hughes B, Willett WC. Issues of trial selection and subgroup considerations in the recent meta-analysis of Zhao and colleagues on fracture reduction by calcium and vitamin D supplementation among community-dwelling older adults.
[Osteoporos Int. 2018 Sep;29\(9\):2151-2152.](#) Impact Factor: 3.86
- 9) Feskanich D, Meyer HE, Fung TT, **Bischoff-Ferrari HA**, Willett WC. Milk and other dairy foods and risk of hip fracture in men and women.
[Osteoporos Int. 2018 Feb;29\(2\):385-396.](#) Impact Factor: 3.86
- 10) Minisola S, Cianferotti L, Biondi P, Cipriani C, Fossi C, Franceschelli F, Giusti F, Leoncini G, Pepe J, **Bischoff-Ferrari HA**, Brandi ML. Correction of vitamin D status by calcidiol: pharmacokinetic profile, safety, and biochemical effects on bone and mineral metabolism of daily and weekly dosage regimens: response to comments by Chen et al.
[Osteoporos Int. 2018 May;29\(5\):1219-1220.](#) Impact Factor: 3.86
- 11) Teister CJ, Chocano-Bedoya PO, Orav EJ, Dawson-Hughes B, Meyer U, Meyer OW, Freystaetter G, Gagesch M, Rizzoli R, Egli A, Theiler R, Kanis JA, **Bischoff-Ferrari HA**. Which Fall Ascertainment Method Captures Most Falls in Pre-Frail and Frail Seniors?
[Osteoporos Int. 2018 Sep;29\(9\):2151-2152.](#) Impact Factor: 3.86
- 12) **Bischoff-Ferrari HA**, Dawson-Hughes B, Willett WC. Issues of trial selection and subgroup considerations in the recent meta-analysis of Zhao and colleagues on fracture reduction by calcium and vitamin D supplementation in community-dwelling older adults.
[Osteoporos Int. 2018 Sep;29\(9\):2151-2152.](#) Impact Factor: 3.86
- 13) Pilz S, März W, Cashman KD, Kiely ME, Whiting SJ, Holick MF, Grant WB, Pludowski P, Hilgsmann M, Trummer C, Schwetz V, Lerchbaum E, Pandis M, Tomaschitz A, Gröbler MR, Gaksch M, Verheyen N, Hollis BW, Rejnmark L, Karras SN, Hahn A, **Bischoff-Ferrari HA**, Reichrath J, Jorde R, Elmadfa I, Vieth R, Scragg R, Calvo MS, van Schoor NM, Bouillon R, Lips P, Itkonen ST, Martineau AR, Lamberg-Allardt C, Zittermann A. Rationale and Plan for Vitamin D Food Fortification: A Review and Guidance Paper.
[Front Endocrinol \(Lausanne\). 2018 Jul 17;9:373.](#) Impact Factor: 3.52
- 14) Butter M, Weiler S, Biedermann L, Scharl M, Rogler G, **Bischoff-Ferrari HA**, Misselwitz B. Clinical manifestations, pathophysiology, treatment and outcome of inflammatory bowel diseases in older people.
[Maturitas. 2018 Apr;110:71-78.](#) Impact Factor: 3.32
- 15) Schreiber PW, **Bischoff-Ferrari HA**, Boggian K, van Delden C, Enriquez N, Fehr T, Garzoni C, Hirsch HH, Hirzel C, Manuel O, Meylan P, Saleh L, Weisser M, Mueller NJ; Swiss Transplant Cohort Study (STCS). Vitamin D status and risk of infections after liver transplantation in the Swiss Transplant Cohort Study.
[Transpl Int. 2018 Aug 12.](#) Impact Factor: 3.20

- 16) Schreiber PW, **Bischoff-Ferrari HA**, Boggian K, Bonani M, van Delden C, Enriquez N, Fehr T, Garzoni C, Hirsch HH, Hirzel C, Manuel O, Meylan P, Saleh L, Weisser M, Mueller NJ; Swiss Transplant Cohort Study (STCS). Bone metabolism dynamics in the early post-transplant period following kidney and liver transplantation.
[PLoS One. 2018 Jan 16;13\(1\):e0191167.](#) Impact Factor: 3.04
- 17) Geier A, Eichinger M, Stirnimann G, Semela D, Tay F, Seifert B, Tshopp O, Bantel H, Jahn D, Marques Maggio E, Saleh L, **Bischoff-Ferrari HA**, Müllhaupt B, Dufour JF. Treatment of non-alcoholic steatohepatitis patients with vitamin D: a double-blinded, randomized, placebo-controlled pilot study.
[Scand J Gastroenterol. 2018; Sep;53\(9\):1114-1120.](#) Impact Factor: 2.51
- 18) Schmidt BR, Moos RM, Könü-Leblebicioglu D, **Bischoff-Ferrari HA**, Simmen HP, Pape HC, Neuhaus V. Higher age is a major driver of in-hospital adverse events independent of comorbid diseases among patients with isolated mild traumatic brain injury.
[Eur J Trauma Emerg Surg. 2018; Oct 15 \(Epub ahead of print\)](#) Impact Factor: 1.70
- 19) Lanz P, **Bischoff-Ferrari HA**. [The Influence of Protein on the Prevention of Fragility Fractures Among Senior Adults].
[Praxis \(Bern 1994\). 2018 Jul;107\(15\):817-824.](#) Impact Factor: 0.00

2017

- 1) Lems WF, Dreinhöfer KE, Bischoff-Ferrari H, Blauth M, Czerwinski E, da Silva J, Herrera A, Hoffmeyer P, Kvien T, Maalouf G, Marsh D, Puget J, Ruhl W, Poor G, Rasch L, Roux C, Schüller S, Serio B, Tarantino U, van Geel T, Woolf A, Wyers C, Geusens P. EULAR/EFFORT recommendations for management of patients older than 50 years with a fragility fracture and prevention of subsequent fractures.
[Ann Rheum Dis. 2016 Dec 22 \(Epub ahead of print\)](#) Impact Factor: 12.38
- 2) Nardi M, Fischer K, Dawson-Hughes B, Orav EJ, Meyer OW, Meyer U, Beck S, Simmen HP, Pape HC, Egli A, Willett WC, Theiler R, **Bischoff-Ferrari HA**. Association between caregiver role and short- and long-term functional recovery after hip fracture: A prospective study.
[J Am Med Dir Assoc. 2017 Sept 30. pii: S1525-8610\(17\)30463-2](#) Impact Factor: 5.78
- 3) **Bischoff-Ferrari HA**, Fischer K, Orav EJ, Dawson-Hughes B, Meyer U, Chocano-Bedoya PO, Meyer OW, Ernst R, Schietzel S, Eberli F, Staehelin HB, Freystätter G, Roas S, Theiler R, Egli a, Wilson NM. Statin Use and 25-Hydroxyvitamin D blood level response to vitamin D treatment of older adults.
[J Am Geriatr Soc. 2017 Feb 27 \(Epub ahead of print\)](#) Impact Factor: 3.84
- 4) Minisola S, Cianferotti L, Biondi P, Cipriani C, Fossi C, Franceschelli F, Giusti F, Leoncini G, Pepe J, **Bischoff-Ferrari HA**, Brandi ML. Correction of vitamin D status by calcidiol: pharmacokinetic profile, safety, and biochemical effects on bone and mineral metabolism of daily and weekly dosage regimens.
[Osteoporos Int. 2017, Aug 16 \(Epub ahead\).](#) Impact Factor: 3.59
- 5) Faure AM, Fischer K, Dawson-Hughes B, Egli A, **Bischoff-Ferrari HA**. Gender-specific association between dietary acid load and total lean body mass and its dependency on protein intake in seniors.
[Osteoporos Int. 2017;28\(12\):3451-3462.](#) Impact Factor: 3.59
- 6) Feskanich D, Meyer HE, Fung TT, **Bischoff-Ferrari HA**, Willett WC. Milk and other dairy foods and risk of hip fracture in men and women.
[Osteoporos Int. 2017 Oct 27 \(Epub ahead of print\)](#) Impact Factor: 3.59
- 7) Cianferotti L, Bertoldo F, **Bischoff-Ferrari HA**, Bruyere O, Cooper C, Cutolo M, Kanis JA, Kaufman JM, Reginster JY, Rizzoli R, Brandi ML. Vitamin D supplementation in the prevention and management of major chronic diseases not related to mineral homeostasis in adults: research for evidence and a scientific statement from the European society for clinical and economic aspects of osteoporosis and osteoarthritis (ESCEO).
[Endocrine. 2017; 56\(2\):245-261.](#) Impact Factor: 3.28

- 8) Müller FS, Meyer OW, Chocano-Bedoya P, Schietzel S, Gagesch ML, Freystaetter G, Neuhaus V, Simmen HP, Langhans W, **Bischoff-Ferrari HA**. Impaired nutritional status in geriatric trauma patients.
[Eur J Clin Nutr. 2017 Mar 22](#) (Epub ahead of print). Impact Factor: 2.94
- 9) Koppitz AL, Dreizler J, Altherr J, **Bosshard G**, Naef R, Imhof L. Relocation experiences with unplanned admission to a nursing home: a qualitative study.
[Int Psychogeriatr. 2017;29\(3\):517-527](#). Impact Factor: 2.43
- 10) Pape HC, **Bischoff-Ferrari HA**. How can we influence the incidence of secondary fragility fractures? A review on current approaches.
[Injury. 2017 Sep 1](#) (Epub ahead). Impact Factor: 1.89
- 11) Meier C, Uebelhart B, Aubry-Rozier B, Birkhäuser M, **Bischoff-Ferrari HA**, Frey D, Kressig RW, Lamy O, Lippuner K, STute P, Suhm N, Ferrari S. Osteoporosis drug treatment: duration and management after discontinuation. A position statement from the SVGO/ASCO.
[Swiss Med Wkly. 2017 Sept 5;147:w14484](#). Impact Factor: 1.65
- 12) Koppitz A, **Bosshard G**, Blanc G, Hediger H, Payne S, Volken T. Pain intervention for people with Dementia in nursing homes (PID): study protocol for a quasi-experimental nurse intervention.
[BMC Palliat Care. 2017 Apr 21;16\(1\):27](#) Impact Factor: 1.60
- 13) **Bischoff-Ferrari HA**. Relevance of vitamin D in fall prevention.
[Geriatr Psychol Neuropsychiatr Vieil. 2017; 15\(1\):E1-E7](#). Impact Factor: 0.59
- 14) Theiler R, Freystätter G, Meyer U, **Bischoff-Ferrari HA**. Gezielte Trainingstherapie zur Sekundärprävention von Stürzen und Hüftfrakturen.
[Praxis \(Bern 1994\). 2017 Jun;106\(13\):701-704](#). Impact Factor: 0.06
- 15) Freystätter G, **Bischoff-Ferrari HA**. Testosteronmangel beim alternden Mann.
[Praxis \(Bern 1994\). 2017 Jun;106\(13\):705-710](#). Impact Factor: 0.06

2016

- 1) **Bischoff-Ferrari HA**, Dawson-Hughes B, Orav JE, Staehelin HB, Meyer OW, Theiler R, Dick W, Willett WC, Egli A. Monthly high-dose Vitamin D treatment for the prevention of functional decline: a randomized clinical trial.
[JAMA Intern med 2016; Jan 04 \[published online\]](#) Impact Factor: 15.04
- 2) **Bischoff-Ferrari HA**, Orav EJ, Dawson-Hughes B. Estimating Vitamin D Status and the Choice of Supplementation-Reply.
[JAMA Intern Med. 2016;176\(6\):865-6](#) Impact Factor: 15.04
- 3) **Bosshard G**, Zellweger U, Bopp M, Schmid M, Hurst SA, Puhon MA, Faisst K. Medical End-of-Life Practices in Switzerland: A comparison of 2001 and 2013.
[JAMA Intern med 2016 Feb 29 \[published online\]](#) Impact Factor: 15.04
- 4) Dawson-Hughes B. & **Bischoff-Ferrari H**. Considerations concerning the definition of sarcopenia.
[Osteoporos Int. 2016 Jun 21 \[Epub ahead of print\]](#) Impact Factor: 3.45
- 5) Dawson-Hughes B, **Bischoff-Ferrari H**. Considerations concerning the definition of sarcopenia: response to comments.
Osteoporos Int. 2016 Aug 8. [Epub ahead of print] Impact factor: 3.45

- 6) Blain H, Masud T, Dargent-Molina P, Martin FC, Rosendahl E, van der Velde N, Bousquet J, Benetos A, Cooper C, Kanis JA, Reginster JY, Rizzoli R, Cortet B, Barbagallo M, Dreinhöfer KE, Vellas B, Maggi S, Strandberg T; EUGMS Falls and Fracture Interest Group; European Society for Clinical and Economic Aspects of Osteoporosis and Osteoarthritis (ESCEO), Osteoporosis Research and Information Group (GRIO), and International osteoporosis Foundation (IOF). A comprehensive Fracture Prevention Strategy in Older Adults: The European Union Geriatric Medicine Society (EUGMS) Statement.
[J Nutr Health Aging. 2016;20\(6\):647-52](#) Impact Factor: 3.00
- 7) Lamarche B, Givens DI, Soedamah-Muthu S, Krauss RM, Jakobsen MU, **Bischoff-Ferrari HA**, Pan A, Després JP. Does Milk Consumption Contribute to Cardiometabolic Health and Overall Diet Quality?
[Can J Cardiol. 2016;32\(8\):1026-32](#). Impact Factor: 3.11
- 8) Bonani M, Meyer U, Frey D, Graf N, **Bischoff-Ferrari HA**, Wüthrich RP. Effect of Denosumab on Peripheral Compartmental bone density, microarchitecture and estimated bone strength in de novo kidney transplant recipients.
[Kidney Blood Press Res. 2016;41\(5\):614-622](#). Impact Factor: 2.91
- 9) de Jong JJ, Arts JJ, **Meyer U**, Willems PC, Geusens PP, van den Bergh JP, van Rietbergen B. Effect of acast on short-term reproducibility and bone parameters obtained from HR-pQCT measurements at the distal end of the radius.
[J Bone Joint Surg Am. 2016;98\(5\):356-62](#). Impact Factor: 5.16
- 10) Nowak A, Boesch L, Andres E, Battegay E, Hornemann T, Schmid C, **Bischoff-Ferrari HA**, Suter PM, Krayenbuehl PA. Effect of vitamin D3 on self-perceived fatigue: A double-blind randomized placebo-controlled trial.
[Medicine \(Baltimore\). 2016; 95\(52\):e5353](#). Impact Factor: 2.13
- 11) Reginster JY, Cooper C, Rizzoli R, Kanis JA, Appelboom G, Bautmans I, **Bischoff-Ferrari HA**, Boers M, Brandi ML, Bruyère O, Cherubini A, Flamion B, Fielding RA, Gasparik AK, van Loon L, McCloskey E, Mitlak BH, Pilotto A, Reiter-Niesert S, Rolland Y, Tsouderos Y, Viser M, Cruz-Jentoft AJ. Recommendations for the conduct of clinical trials for drugs to treat or prevent sarcopenia.
[Aging Clin Exp Res. 2016;28\(1\):47-58](#). Impact Factor: 1.22
- 12) Felson DT & **Bischoff-Ferrari HA**. Dietary fatty acids for the treatment of OA, including fish oil.
[Ann Rheum Dis. 2016 Jan;75\(1\):1-2](#). Impact Factor: 9.27
- 13) Schmid M, Zellweger U, **Bosshard G**, Bopp M. Medical end-of-life decisions in Switzerland 2001 and 2013: Who is involved and how does the decision-making capacity of the patient impact?
[Swiss Med Wkly. 2016; 146:w14307](#). Impact Factor: 2.09
- 14) Koppitz A, **Bosshard G**, Kipfer S, Imhof L. Decision-making in caring for people with dementia at the end of life in nursing homes.
[Int J Palliat Nurs 2016; 22\(2\):68-75](#). Impact Factor: 0.00
- 15) Grant WB, Karras SN, **Bischoff-Ferrari HA**, Annweiler C, Boucher BJ, Juzeniene A, Garland CF, Holick MF. Do studies reporting "U"-shaped serum 25-hydroxyvitamin D-health outcome relationships reflect adverse effects?
Dermatoendocrinol. 2016;8(1):e1187349. Doi:10.1080/19381980.2016.1187349
Impact Factor: 0.00

2015

- 1) Huber EO, Bastiaenen CH, **Bischoff-Ferrari HA**, Meichtry A, de Bie RA. Development of the knee osteoarthritis patient education questionnaire: a new measure for evaluating preoperative patient education programmes for patients undergoing total knee replacement.
[Swiss Med Wkly 2015; 145:w14210](#) Impact Factor: 1.88

- 2) Schild A, Herter-Aeberli I, Fattinger K, Anderegg S, Schulze-König T, Vockenhuber C, Synal HA, **Bischoff-Ferrari H**, Weber P, von Eckardstein A, Zimmermann MB. Oral vitamin D supplements increase serum 25-Hydroxyvitamin D in postmenopausal women and reduce bone calcium flux measured by ⁴¹Ca skeletal labeling.
[J Nutr 2015; 145\(10\):2333-2340.](#) Impact Factor: 3.88
- 3) **Bischoff-Ferrari HA**, Orav JE, Kanis JA, Rizzoli R, Schlägl M, Staehelin HB, Willett WC, Dawson-Hughes B. Comparative performance of current definitions of sarcopenia against the prospective incidence of falls among community-dwelling seniors age 65 and older.
[Osteoporos Int 2015; 26\(12\):2793-2802.](#) Impact Factor: 4.17
- 4) Meyer O, Dawson-Hughes B, Sidelnikov E, Egli A, Grob D, Staehelin HB, Theiler G, Kressig RW, Simmen HP, Theiler R, **Bischoff-Ferrari HA**. Calcifediol versus vitamin D3 effects on gait speed and trunk sway in young postmenopausal women: a double-blind randomized controlled trial.
[Osteoporos Int 2015; 26\(1\):373-81.](#) Impact Factor: 4.17
- 5) Huber EO, Roos EM, Meichtry A, de Bie RA, **Bischoff-Ferrari HA**. Effect of preoperative neuromuscular training (NEMEX-TJR) on functional outcome after total knee replacement: an assessor-blinded randomized controlled trial.
BMC Musculoskelet Disord. 2015 Apr 25;16:101.
[doi: 10.1186/s12891-015-0556-8.](#) Impact Factor: 1.90
- 6) Koppitz A, **Bosshard G**, Händler Schuster D, Hediger H, Imhof L. Type and course of symptoms demonstrated in the terminal and dying phases by people with dementia in nursing homes.
[Z Geront Geriat 2015; 48:176-183](#) Impact Factor: 0.81
- 7) **Bischoff-Ferrari HA**. Screening for vitamin D deficiency in adults.
[Bonekey Rep 2015; 4:667.](#) Impact Factor: 0.00
- 8) **Bischoff-Ferrari HA**. Healthy Aging: eine Herausforderung für die Zukunft. Editorial.
[Schweizer Zeitschrift für Ernährungsmedizin 2015, 3:1.](#) Impact Factor: 0.00
- 9) **Bischoff-Ferrari HA**. Multivitamine für wen – wie ist die Evidenz?
[Schweizerische Zeitschrift für Ernährungsmedizin 2015, 3:12-13.](#) Impact Factor: 0.00
- 10) **Bischoff-Ferrari HA** & Zimmermann R. Vitamin D in der Gynäkologie und Geburtshilfe.
[Gynäkologie 2015, 48:360-2.](#) Impact Factor: 0.00
- 11) **Bischoff-Ferrari HA**. Vitamin D und postmenopausale Knochengesundheit.
[Gynäkologie 2015, 48:377-82.](#) Impact Factor: 0.00
- 12) Burckhardt P, Ballmer PE, **Bischoff-Ferrari HA**, Nowitzki-Grimm S, Remer T, Thut Borner R, Scharla S, Zwettler E. Ernährung und Knochengesundheit. 2. OSTAK-Expertengespräch.
[Osteologie 2015; 24:107-19.](#) Impact Factor: 0.00

2014

- 1) **Bischoff-Ferrari HA**, Meyer O. Comparative Effectiveness of Pharmacological Treatments to Prevent Fractures: Is this all we need to know?
[Annals of Internal Medicine 2014; 161\(10\):755-6. \[Editorial\].](#) Impact Factor: 16.10
- 2) **Bischoff-Ferrari HA**, Orav EJ, Willett WC, Dawson-Hughes B. The effect of vitamin D supplementation on skeletal, vascular, or cancer outcomes.
[Lancet Diabetes Endocrinol. 2014 ;2\(5\):363-4. \[Letter\]](#) Impact Factor: 9.19
- 3) Puhan MA, Siebeling L, Frei A, Zoller M, **Bischoff-Ferrari H**, Ter Riet G. No association of 25-hydroxyvitamin D with exacerbations in primary care patients with COPD.
[Chest. 2014 Jan;145\(1\):37-43.](#) Impact Factor: 7.13

- 4) **Meyer U**, de Jong JJ, Bours SG, Keszei AP, Arts JJ, Brink PR, Menheere P, van Geel TA, van Rietbergen B, van den Bergh JP, Geusens PP, Willems PC. Early changes in bone density, microarchitecture, bone resorption, and inflammation predict the clinical outcome 12 weeks after conservatively treated distal radius fractures: an exploratory study.
[J Bone Miner Res 2014; 29\(9\):2065-73.](#) Impact Factor: 6.59
- 5) Jetter A, Egli A, Dawson-Hughes B, Staehelin HB, Stoecklin E, Goessl R, Henschkowski J, **Bischoff-Ferrari HA**. Pharmacokinetics of oral vitamin D(3) and calcifediol.
[Bone. 2014 Feb;59:14-9.](#) Impact Factor: 4.46
- 6) Feskanich D, **Bischoff-Ferrari HA**, Frazier AL, Willett WC. Milk Consumption During Teenage Years and Risk of Hip Fractures in Older Adults.
[JAMA Pediatr. 2014 Jan;168\(1\):54-60.](#) Impact Factor: 4.25
- 7) Finsterwald M, Sidelnikov E, Orav EJ, Dawson-Hughes B, Theiler R, Egli A, Platz A, Simmen HP, Meier C, Grob D, Beck S, Stähelin HB, **Bischoff-Ferrari HA**. Gender-specific hip fracture risk in community-dwelling and institutionalized seniors age 65 years and older.
[Osteoporos Int. 2014 Jan;25\(1\):167-76.](#) Impact Factor: 4.17
- 8) Gschwind YJ, **Bischoff-Ferrari HA**, Bridenbaugh SA, Härdi I, Kressig RW. Association between Serum Vitamin D Status and Functional Mobility in Memory Clinic Patients Aged 65 Years and Older.
[Gerontology. 2014;60\(2\):123-9.](#) Impact Factor: 2.68
- 9) **Bischoff-Ferrari HA**. Optimal serum 25-hydroxyvitamin D levels for multiple health outcomes
[Adv Exp Med Biol. 2014;810:500-25.](#) Impact Factor: 2.01
- 10) Adam H, Hug S, **Bosshard G**. Chemotherapy near the end of life: a retrospective single-centre analysis of patients' charts.
[BMC Palliative Care 2014; 13:26.](#) Impact Factor: 1.79
- 11) Stöckli C, Theiler R, Sidelnikov E, Balsiger M, Ferrari SM, Buchzig B, Uehlinger K, Riniker C, **Bischoff-Ferrari HA**. Validity of a simple Internet-based outcome-prediction tool in patients with total hip replacement: a pilot study.
[J Telemed Telecare 2014; 20\(3\):117-22.](#) Impact Factor: 1.74
- 12) **Bischoff-Ferrari HA**, Rosemann T, Grob D, Theiler R, Simmen HP, Meyer O. Vitamin-D-Supplementation in der Praxis.
[Schweiz Med Forum 2014;14\(50\):949-953.](#) Impact Factor: 0.00
- 13) Bruyère O, Cavalier E, Souberbielle JC, **Bischoff-Ferrari HA**, Beaudart C, Buckinx F, Reginster JY, Rizzoli R. Effects of vitamin D in the elderly population: current status and perspectives.
[Arch Public Health. 2014 Sep 28;72\(1\):32.](#) Impact Factor: 0.00
- 14) Güth U, Reisch T, **Bosshard G**, Schmid SM. Mammakarzinompatienten und Suizid – eine einzelfallorientierter Ansatz mit Daten aus der Schweiz (Kongressbeitrag).
[Senologie – Zeitschrift für Mammadiagnostik und –therapie 2014; 11-A46.](#) Impact Factor: 0.00
- 15) Rizzoli R, **Bischoff-Ferrari H**, Dawson-Hughes B, Weaver C. Nutrition and bone health in women after the menopause.
[Womens Health \(London Engl\) 2014; 10\(6\):599-608.](#) Impact Factor: 0.00
- 16) Vellas B, Fielding R, Miller R, Rolland Y, Bhasin S, Magaziner J, **Bischoff-Ferrari H**. Designing drug trials for sarcopenia in older adults with hip fracture - a task force from the international conference on frailty and sarcopenia research (ICFSR).
[J Frailty Aging 2014; 3\(4\):199-204.](#) Impact Factor: 0.00

2013

- 1) Ceglia L, Niramitmahapanya S, Morais MD, Rivas DA, Harris SS, **Bischoff-Ferrari H**, Fielding RA, Dawson-Hughes B. A randomized study on the effect of vitamin D3 supplementation on skeletal muscle morphology and vitamin D receptor concentration in older women.
[J Clin Endocrinol Metab. 2013; 98\(12\):E1927-35.](#) Impact Factor: 6.31
- 2) Brouwer-Brolsma EM, **Bischoff-Ferrari HA**, Bouillon R, Feskens EJ, Gallagher CJ, Hypponen E, Llewellyn DJ, Stoecklin E, Dierkes J, Kies AK, Kok FJ, Lamberg-Allardt C, Moser U, Pilz S, Saris WH, van Schoor NM, Weber P, Witkamp R, Zittermann A, de Groot LC. Vitamin D: do we get enough?: A discussion between vitamin D experts in order to make a step towards the harmonisation of dietary reference intakes for vitamin D across Europe.
[Osteoporos Int. 2013 May; 24\(5\):1567-77.](#) Impact Factor: 4.17
- 3) Maier S, Sidelnikov E, Dawson-Hughes B, Egli A, Theiler R, Platz A, Staehelin HB, Simmen HP, Meier C, Dick W, Grob D, von Eckardstein A, **Bischoff-Ferrari HA**. Before and after hip fracture, vitamin D deficiency may not be treated sufficiently.
[Osteoporos Int. 2013 Nov;24\(11\):2765-73.](#) Impact Factor: 4.17
- 4) Niedermann K, Sidelnikov E, Muggli C, Dagfinrud H, Hermann M, Tamborrini G, Ciurea A, **Bischoff-Ferrari H**. Effect of cardiovascular training on fitness and perceived disease activity in people with ankylosing spondylitis.
[Arthritis Care Res \(Hoboken\) 2013 Nov;65\(11\):1844-52.](#) Impact Factor: 4.04
- 5) Vetter M, Huang DJ, **Bosshard G**, Güth U. Breast cancer in women 80 years of age and older: A comprehensive analysis of an underreported entity.
[Acta Oncol 2013; 52:57-65.](#) Impact Factor: 3.71
- 6) **Bischoff-Ferrari H**. Relevance of vitamin D in bone and muscle health of cancer patients.
[Anticancer Agents Med Chem. 2013 Jan 1;13\(1\):58-64.](#) Impact Factor: 2.94
- 7) Ralston SH, Civitelli R, **Bischoff-Ferrari H**. Casting new light on the sunshine vitamin.
[Calcif Tissue Int. 2013 Feb;92\(2\):75-6.](#) Impact Factor: 2.75
- 8) Rizzoli R, Reginster JY, Arnal JF, Bautmans I, Beaudart C, **Bischoff-Ferrari H**, Biver E, Boonen S, Brandi ML, Chines A, Cooper C, Epstein S, Fielding RA, Goodpaster B, Kanis JA, Kaufman JM, Laslop A, Malafarina V, Mañas LR, Mitlak BH, Oreffo RO, Petermans J, Reid K, Rolland Y, Sayer AA, Tsouderos Y, Visser M, Bruyère O. Quality of life in sarcopenia and frailty.
[Calcif Tissue Int. 2013 Aug;93\(2\):101-20.](#) Impact Factor: 2.75
- 9) Rolland Y, de Souto Barreto P, Abellan Van Kann G, Annweiler C, Beauchet O, **Bischoff-Ferrari H**, Berrut G, Blain H, Bonnefoy M, Cesari M, Duque G, Ferry M, Guerin O, Hanon O, Lesourd B, Morley J, Raynaud-Simon A, Ruault G, Souberbielle JC, Vellas B; French Group of Geriatrics and Nutrition. Vitamin D supplementation in older adults: searching for specific guidelines in nursing homes.
[J Nutr Health Aging 2013; 17\(4\):402-12.](#) Impact Factor: 2.66
- 10) Baschung Pfister P, Niedermann K, Sidelnikov E, **Bischoff-Ferrari HA**. Active over 45: a step-up jogging programme for inactive female hospital staff member aged 45+.
[Eur J Public Health. 2013, Oct;23\(5\):817-22.](#) Impact Factor: 2.46
- 11) Huber EO, de Bie RA, Roos EM, **Bischoff-Ferrari HA**. Effect of pre-operative neuromuscular training on functional outcome after total knee replacement: a randomized-controlled trial.
[BMC Musculoskelet Disord. 2013 May 3;14:157.](#) Impact Factor: 1.90
- 12) **Bischoff-Ferrari H**. Fragility fractures: the future epidemic and its challenges.
[Skeletal Radiology. 2013 Feb;42\(2\):161-3.](#) Impact Factor: 1.74
- 13) Schmid M, Zellweger U, Bopp M, **Bosshard G**, Faisst K, Hurst S, Puhan M, Gutzwiller F. Medizinische Entscheidungen am Lebensende.
[Schweiz Ärztezeitung 2013; 94:1203-13.](#) Impact Factor: 0.00

2012

- 1) **Bischoff-Ferrari HA**, Orav EJ, Willett WC, et al. A pooled analysis of vitamin D dose requirements for fracture prevention.
[N Engl J Med. 2012 Jul 5;367\(1\):40-9.](#) Impact Factor: 54.42
- 2) **Bischoff-Ferrari HA**, Dawson-Hughes B, Stöcklin E, Sidelnikov E, Willett WC, Orav EJ, Stähelin HB, Wolfram S, Jetter A, Schwager J, Henschkowski J, von Eckardstein A, Egli A. Oral supplementation with 25(OH)D3 versus vitamin D3: effects on 25(OH)D levels, lower extremity function, blood pressure and markers of innate immunity.
[J Bone Miner Res. 2012 Jan;27\(1\):160-9.](#) Impact Factor: 6.59
- 3) Holick MF, Binkley NC, **Bischoff-Ferrari HA**, Gordon CM, Hanley DA, Heaney RP, Murad MH, Weaver CM. Guidelines for preventing and treating vitamin D deficiency and insufficiency revisited.
[J Clin Endocrinol Metab 2012;97\(4\):1153-8.](#) Impact Factor: 6.31
- 4) Schaller F; Sidelnikov E, Theiler R, Egli A, Staehelin HB, Dick W, Dawson-Hughes B, Grob D, Platz A, Can U, **Bischoff-Ferrari HA**. Mild to moderate cognitive impairment is a major risk factor for mortality and nursing home admission in the first year after hip fracture.
[Bone. 2012 Sep;51\(3\):347-52.](#) Impact Factor: 4.46
- 5) Aggett PJ, Hathcock J, Jukes D, Richardson DP, Calder PC, **Bischoff-Ferrari H**, Nicklas T, Mühlebach S, Kwon O, Lewis J, Lugard MJ, Prock P. Nutrition issues in Codex: health claims, nutrient reference values and WTO agreements: a conference report.
[Eur J Nutr 2012; 51 Suppl 1:S1-7.](#) Impact Factor: 3.84
- 6) **Bischoff-Ferrari HA**. Relevance of vitamin D in muscle health.
[Rev Endocr Metab Disord 2012; 13\(1\):71-7.](#) Impact Factor: 3.81
- 7) Baur K, Mertens JC, Schmitt J, Iwata R, Stieger B, Frei P, Seifert B, **Bischoff-Ferrari HA**, von Eckardstein A, Müllhaupt B, Geier A; Swiss Hepatitis C Cohort Study Group. The vitamin D receptor gene bAt (CCA) haplotype impairs the response to pegylated-interferon/ribavirin-based therapy in chronic hepatitis C patients.
[Antivir Ther 2012;17\(3\):541-7.](#) Impact Factor: 3.14
- 8) **Bischoff-Ferrari HA**. "Vitamin D - why does it matter?" - defining vitamin D deficiency and its prevalence.
[Scand J Clin Lab Invest Suppl. 2012 Apr;243:3-6.](#) Impact Factor: 2.01
- 9) **Bischoff-Ferrari HA**. Vitamin D and fracture prevention.
[Rheum Dis Clin North Am. 2012 Feb; 38\(1\):107-13.](#) Impact Factor: 1.74
- 10) **Bischoff-Ferrari H**. Vitamin D - from essentiality to functionality.
[Int J Vitam Nutr Res. 2012 Oct;82\(5\):321-6.](#) Impact Factor: 1.00
- 11) **Bischoff-Ferrari HA**. Which vitamin D oral supplement is best for postmenopausal women?
[Curr Osteoporos Rep. 2012 Dec;10\(4\):251-7.](#) Impact Factor: 0.00
- 12) **Bosshard G**. Assisted dying — in search of appropriate assistants.
[The King's Law Journal 2012; 23:141-148.](#) Impact Factor: 0.00
- 13) **Bosshard G**. Beihilfe zum Suizid – medizinische, rechtliche und ethische Aspekte.
[Schweizerische Rundschau für Medizin – PRAXIS 2012; 101:183-189.](#) Impact Factor: 0.00
- 14) **Bischoff-Ferrari H**, Keller U, Burckhardt P, Quack Lötscher K, Gerber B, l'Allemand D, Laimbacher J, Bachmann M, Rizzoli R. Empfehlungen der Eidg. Ernährungskommission zur Vitamin-D-Zufuhr für die Schweizer Bevölkerung.
Schweiz Med Forum 2012;12(40):775-778.
- 15) Zürcher K, **Bischoff-Ferrari H**. Verabreichung von Vitamin D.
[Schweiz Med Forum 2012;12\(10\):224.](#)

- 16) Federal Commission for Nutrition. Vitamin D deficiency: Evidence, safety, and recommendations for the Swiss Population. Expert report of the FCN.
[Zurich: Federal Office for Public Health, 2012](#)

2011

- 1) **Bischoff-Ferrari HA**, Willett WC, Orav JE, Kiel DP, Dawson-Hughes B. Fall prevention with Vitamin D. Clarification needed. In response to IOM recommendations on vitamin D and fall prevention.
[BMJ, 2011 \[Letter\]](#) Impact Factor: 16.30
- 2) **Bischoff-Ferrari HA**, Dawson-Hughes B, Whiting SJ. Vitamin D supplementation and fracture risk. Comment on Grey A, Boland M. Vitamin D: a place in the sun?.
[Archives of Internal Medicine, 2011; 171\(3\):265. \[Letter\]](#) Impact Factor: 13.25
- 3) **Bischoff-Ferrari HA**, Dawson-Hughes B, Baron JA, Kanis JA, Orav EJ, Staehelin HB, Kiel DP, Burckhardt P, Henschkowski J, Spiegelman D, Li R, Wong JB, Feskanich D, Willett WC. Milk Intake and Risk of Hip Fracture in Men and Women: A Meta-Analysis of Prospective Cohort Studies.
[J Bone Miner Res 2011; 26\(4\):833-9.](#) Impact Factor: 6.59
- 4) Holick MF, Binkley NC, **Bischoff-Ferrari HA**, Gordon CM, Hanley DA, Heaney RP, Murad MH, Weaver CM. Evaluation, Treatment, and Prevention of Vitamin D Deficiency: an Endocrine Society Clinical Practice Guideline.
[J Clin Endocrinol Metab. 2011, 96\(7\):1911-30.](#) Impact Factor: 6.31
- 5) Güth U, Myrick ME, Reisch T, **Bosshard G**, Schmid SM. Suicide in breast cancer patients: An individual-centered approach provides insight beyond epidemiology.
[Acta Oncol 2011; 50:1037-1044.](#) Impact Factor: 3.71
- 6) **Bischoff-Ferrari HA**. Vitamin D – Role in pregnancy and early childhood.
[Annals of Nutrition & Metabolism 2011; 59:17-21.](#) Impact Factor: 2.75
- 7) Henschkowski J, **Bischoff-Ferrari HA**, Wüthrich RP, Serra AL. Renal function in patients treated with cinacalcet for persistent hyperparathyroidism after kidney transplantation.
[Kidney Blood Press Res. 2011; 34\(2\):97-103.](#) Impact Factor: 1.82
- 8) Janousek M, Ferrari S, Schmid DU, **Bischoff HA**, Balsiger M, Theiler R. Optimized assessment of the outcome in patients with radicular back pain of the lumbar spine. The modified NASS questionnaire.
[Schmerz 2011; 25\(5\):552-7.](#) Impact Factor: 1.02
- 9) **Bischoff-Ferrari H**, Stähelin HB, Walter P. Vitamin D effects on bone and muscle.
[Int J Vitam Nutr Res 2011; 81\(4\):264-72.](#) Impact Factor: 1.00
- 10) Imhof L, **Bosshard G**, Fischer S, Mahrer-Imhof R. Content of health status reports of people seeking assisted suicide: a qualitative analysis.
[Med Health Care Philos 2011; 14:265-272.](#) Impact Factor: 0.91
- 11) **Bischoff-Ferrari HA**. The role of falls in fracture prevention.
[Current Osteoporosis Reports 2011; 9\(3\):116-21.](#) Impact Factor: 0.00
- 12) **Bischoff-Ferrari H**, Stähelin HB. Vitamin-D- und Kalziumsupplementation.
[Schweiz Med Forum 2011;11\(50\):930-936.](#) Impact Factor: 0.00
- 13) **Bischoff-Ferrari HA**. Osteoporose, Vitamin D als Prävention, Vertebroplastie als Ultima Ratio. CME Zertifizierte Fortbildung.
[Hausarzt Praxis 2011; 6\(4\):8 \[Editorial\]](#) Impact Factor: 0.00
- 14) **Bosshard G**. Ethical challenges at the end of life in oncology: a summary of empirical ethics research (meeting abstract).
Oncology 2011; 34/supp6:290. Impact Factor: 0.00

- 15) Buck G, Perger L, **Bischoff-Ferrari HA**. Osteoporosis. [Praxis \(Bern 1994\). 2011; 100\(14\):821-32.](#) Impact Factor: 0.00
- 16) Linseisen J, Bechthold A, **Bischoff-Ferrari HA**, Hintzpeter B, Leschik-Bonnet E, Reichrath J, Stehle P, Volkert D, Wolfram G, Zittermann A. Vitamin D und Prävention ausgewählter chronischer Krankheiten. Stellungnahme. [2011; Deutsche Gesellschaft für Ernährung e.V. \(Hsg.\), Bonn.](#)
- 17) **Bischoff HA**. In drei Schritten zu starken Knochen. Vitamin D, Kalzium und Bewegung. [2011, International Osteoporosis Foundation, Nyon.](#)
- 18) **Bischoff HA**. Three steps to unbreakable bones. Vitamin D, Calcium and exercise. [2011, International Osteoporosis Foundation, Nyon.](#)

2010

- 1) **Bischoff-Ferrari HA**, Dawson-Hughes B , Platz A , Orav EJ, Stähelin HB, Willett WC, Can U, Egli A, Mueller NJ, Looser S , Bretscher B, Minder E, Vergopoulos A, Theiler R. Effect of high-dosage cholecalciferol and extended physiotherapy on complications after hip fracture: a randomized controlled trial. [Arch Intern Med, 2010; 170\(9\):813-20.](#) Impact Factor: 13.25
- 2) Souberbielle JC, Body JJ, Lappe JM, Plebani M, Shoenfeld Y, Wang TJ, **Bischoff-Ferrari HA**, Cavalier E, Ebeling PR, Fardellone P, Gandini S, Gruson D, Guérin AP, Heickendorff L, Hollis BW, Ish-Shalom S, Jean G, von Landenberg P, Largura A, Olsson T, Pierrot-Deseilligny C, Pilz S, Tincani A, Valcour A, Zittermann A. Vitamin D and musculoskeletal health, cardiovascular disease, autoimmunity and cancer: Recommendations for clinical practice. [Autoimmun Rev.2010 Sep;9\(11\):709-15. \[Consensus statement\].](#) Impact Factor: 7.10
- 3) Mueller NJ, Fux CA, Ledergerber B, Elzi L, Schmid P, Dang T, Magenta L, Calmy A, Vergopoulos A, Swiss HIV Cohort Study, **Bischoff-Ferrari HA**. High prevalence of severe vitamin D deficiency in combined antiretroviral therapy-naive and successfully treated Swiss HIV patients. [AIDS 2010; 24\(8\):1127-34.](#) Impact Factor: 6.56
- 4) **Bischoff-Ferrari HA**, Dawson-Hughes B, Shao A, Hathcock J, Giovannuci E, Willett WC. Benefit-risk assessment of vitamin D. [Osteoporos Int. 2010; 21\(7\):1121-32](#) Impact Factor: 4.17
- 5) **Bischoff-Ferrari HA**. Vitamin D and fracture prevention. [Endocrinol Metab Clin North Am. 2010, 39\(2\):347-53.](#) Impact Factor: 2.86
- 6) Ceglia L, Morais M, Park L, Morris E, Harris SS, **Bischoff-Ferrari HA**, Fielding RA, Dawson-Hughes B. Multi-step immunofluorescent analysis of vitamin D receptor loci and myosin heavy chain isoforms in human skeletal muscle. [Journal of Molecular Histology, 2010; page 137-42.](#) Impact Factor: 1.98
- 7) **Bischoff-Ferrari H**. Health effects of vitamin D. [Dermatol Ther 2010; 23\(1\):23-30.](#) Impact Factor: 1.48
- 8) Barysch MJ, Feldmeyer L, **Bischoff-Ferrari H**, Hofbauer G, Dummer R. Vitamin D, ultraviolet rays and skin cancer. [Rev Med Suisse 2010; 6\(246\):884-5.](#) Impact Factor: 0.00
- 9) **Bischoff-Ferrari HA**. Contribution of vitamin D to fracture reduction. [J Miner Stoffwechsels 2010,17 \(Suppl1\):34-8.](#) Impact Factor: 0.00
- 10) **Bischoff-Ferrari HA**, Stähelin HB. Vitamin D. Im Alter ist die "normale" Versorgung nicht ausreichend. [ARS MEDICI, Schweizer Zeitschrift für Hausarztmedizin 2010; 14:559-564.](#) Impact Factor: 0.00
- 11) **Bischoff-Ferrari HA**. Nahrungsergänzung im Sport: Vitamin D Mangel bei Athleten. [Schweizer Zeitschrift für Ernährungsmedizin 2010;4:31-33.](#) Impact Factor: 0.00

- 12) **Bischoff-Ferrari HA**, Staehelin HB, Conzelmann M, Grob D. Geriatrie: Vitamin-D-Supplementation als einfach Basismassnahme zur Sturz- und Knochenbruchprävention ab 65. [Schweiz Med Forum 2010;10\(51\):907-909.](#) Impact Factor: 0.00
- 13) **Bosshard G**. Der Tod, der Arzt und sein Patient. Autonomie und Fürsorge am Lebensende. *Leading Opinions in Hämatologie und Onkologie* 2010; 3:78-79. Impact Factor: 0.00
- 14) **Bosshard G**, Hurst SA. Suizidbeihilfe: Der Bund ist gefordert. [SAMW-Bulletin 2010; 1:1-3.](#) Impact Factor: 0.00
- 15) **Bosshard G**. Die geltende Sterbehilfepraxis regeln. *Neue Zürcher Zeitung* 2010; 233:13 (07. Oktober).

2009

- 1) Materstvedt LJ, **Bosshard G**. Deep and continuous palliative sedation (terminal sedation): clinical-ethical and philosophical aspects. [Lancet Oncology 2009;10:622-627.](#) Impact Factor: 24.73
- 2) **Bischoff-Ferrari HA**, Dawson-Hughes B, Staehelin HB, Orav E J, Stuck AE, Theiler R, Wong J B, Egli A, Kiel DP, Henschkowski J. Fall prevention with supplemental and active forms of vitamin D: a meta-analysis of randomized controlled trials. [British Medical Journal, 2009, 339:b3692. doi: 10.1136/bmj.b3692.](#) Impact Factor: 16.30
- 3) **Bischoff-Ferrari HA**, Willett WC, Wong JB, Stuck A, Staehelin HB, Orav JE, Thoma A, Kiel DP, Henschkowski J. Prevention of non-vertebral fractures with oral vitamin D and dose dependency: a Meta-analysis of randomized controlled trials. *Arch Intern Med*, 2009; 169(6):551-61. Impact Factor: 13.25
- 4) **Bischoff-Ferrari HA**, Kiel DP, Dawson-Hughes B, Orav JE, Li R, Spiegelman D, Dietrich T, Willett WC. Dietary calcium and serum 25-hydroxyvitamin D status in relation to bone mineral density among U.S. adults. [J Bone Miner Res 2009; 24\(5\):935-42.](#) Impact Factor: 6.59
- 5) von Restorff C, **Bischoff-Ferrari HA**, Theiler R. High-dose oral vitamin D3 supplementation in rheumatology patients with severe vitamin D3 deficiency. [Bone, 2009; 45\(4\):747-9.](#) Impact Factor: 4.46
- 6) Schwandt P, **Bischoff-Ferrari HA**, Staehelin HB, Haas GM. Cardiovascular risk screening in school children predicts risk in parents. [Atherosclerosis. 2009; 205\(2\):626-31.](#) Impact Factor: 3.97
- 7) **Bischoff-Ferrari HA**. Vitamin D: what is an adequate vitamin D level and how much supplementation is necessary? [Best Pract Res Clin Rheumatol. 2009;23\(6\):789-95.](#) Impact Factor: 3.06
- 8) **Bischoff-Ferrari HA**. Validated Treatments and Therapeutic Perspectives Regarding Nutritional Therapy. [J Nutr Health Aging. 2009; 13\(8\):737-41.](#) Impact Factor: 2.66
- 9) Abellan van Kan G, André E, **Bischoff Ferrari HA**, Boirie Y, Onder G, Pahor M, Ritz P, Rolland Y, Sampaio C, Studenski S, Visser M, Vellas B. Carla task force on sarcopenia: propositions for clinical trials. [J Nutr Health Aging 2009 . \[Consensus statement\].](#) Impact Factor: 2.66
- 10) Fischer S, Huber CA, Furter M, Imhof L, Mahrer Imhof R, Schwarzenegger C, Ziegler SJ, **Bosshard G**. Reasons why People in Switzerland Seek Assisted Suicide: The View of Patients and Physicians. [Swiss Medical Weekly 2009; 139:333-338.](#) Impact Factor: 1.88

- 11) **Bischoff-Ferrari HA**, Stähelin HB, Theiler R. Vitamin D stellt sein Talent für Knochen und Muskeln unter Beweis.
[Schweiz Med Forum 2009;09\(49\):895-897.](#) Impact Factor: 0.00
- 12) **Bischoff-Ferrari HA**, Stähelin HB. Muskulatur und Knochen - Die Rolle des Vitamin D.
[Schweizer Zeitschrift für Ernährung 2009, 4: 22-14.](#) Impact Factor: 0.00
- 13) **Bischoff-Ferrari HA**, Stähelin HB. Vitamin D im Alter: Die Wirkung hängt von der Dosis ab.
[Schweizer Zeitschrift für Ernährung 2009, 2:7-10.](#) Impact Factor: 0.00
- 14) **Bischoff-Ferrari HA**. Vitamin D.
Schweizer Zeitschrift für Ernährung 2009 [Editorial]. Impact Factor: 0.00
- 15) **Bischoff-Ferrari HA**, Stähelin HB. Vitamin D im Alter: Wirkung hängt von der Dosis ab.
[ARS MEDICI Dossier, Schweizer Zeitschrift für Hausarztmedizin 2009, p.24-27.](#) Impact Factor: 0.00
- 16) **Bosshard G**, Fischer S, Cartwright C, Faisst K, Löffmark L, Miccinesi G, Mortier F, Norup M, Onwuteaka-Philipsen B, van Delden JJM. Should assisted suicide be performed by physicians only? Results of a survey among physicians in six European countries and Australia.
[Bioethica Forum 2009; 2:4-9.](#) Impact Factor: 0.00
- 17) Materstvedt G, **Bosshard G**. Terminale Sedierung: klinisch-ethische und philosophische Aspekte.
[Palliative-ch 2009, 3:31-35.](#) Impact Factor: 0.00
- 18) Mühlebach S, **Bischoff-Ferrari HA**. Myalgia and proximal muscle weakness in a young patient.
[Praxis \(Bern 1994\) 2009; 98\(8\):447-50.](#) Impact Factor: 0.00

2008

- 1) **Bischoff-Ferrari HA**, Rees JR, Grau MV, Barry E, Gui J, Baron JA. Effect of calcium supplementation on fracture risk: a double-blind randomized controlled trial.
[Am J Clin Nutr 2008; 87\(6\):1945-51.](#) Impact Factor: 6.92
- 2) Bouillon R, **Bischoff-Ferrari H**, Willett W. Vitamin D and health: perspectives from mice and man.
[J Bone Miner Res 2008; 23\(7\):974-9.](#) Impact Factor: 6.59
- 3) **Bischoff-Ferrari HA**, Chan U, Platz A, Staehelin HA, Michel BA, Henschkowski J, Dawson-Hughes B, Theiler R. Severe Vitamin D Deficiency in Swiss Hip Fracture Patients.
[Bone 2008; 42\(3\):597-602.](#) Impact Factor: 4.46
- 4) **Bischoff-Ferrari HA**, Orav EJ, Dawson-Hughes B. Additive benefit of higher testosterone levels and vitamin D plus calcium supplementation in regard to fall risk reduction among older men and women.
[Osteoporos Int 2008; 19\(9\):1307-14.](#) Impact Factor: 4.17
- 5) Oertel S, Schneider U, Keel M, Lütolf UM, **Bosshard G**. Prophylaxis of heterotopic ossification in patients sedated after polytrauma - medical and ethical considerations.
[Strahlentherapie und Onkologie 2008; 184:212-217.](#) Impact Factor: 2.73
- 6) Roux C, **Bischoff-Ferrari HA**, Papapoulos SE, de Papp AE, West JA, Bouillon R. New insights into the role of vitamin D and calcium in osteoporosis management: an expert roundtable discussion.
[Curr Med Res Opin 2008; 24\(5\):1363-70.](#) Impact Factor: 2.37
- 7) **Bischoff-Ferrari HA**. Optimal serum 25-hydroxyvitamin D levels for multiple health outcomes.
[Adv Exp Med Biol. 2008;624:55-71.](#) Impact Factor: 2.01

- 8) **Bosshard G**, Broeckaert B, Clark D, Materstvedt LJ, Gordijn B, Müller-Busch HC. A role for doctors in assisted dying? An analysis of legal regulations and medical professional positions in six European countries.
[J Med Ethics 2008; 34:28-32.](#) Impact Factor: 1.69
- 9) Fischer S, Huber C, Imhof L, Mahrer R, Furter M, Ziegler SJ, **Bosshard G**. Suicide assisted by two Swiss right-to-die organisations.
[J Med Ethics 2008; 34:810-814.](#) Impact Factor: 1.69
- 10) Cannell JJ, Vieth R, Willett W, Zasloff M, Hathcock JN, White JH, Tanumihardjo SA, Larson-Meyer DE, **Bischoff-Ferrari HA**, Lamberg-Allardt CJ, Lappe JM, Norman AW, Zittermann A, Whiting SJ, Grant WB, Hollis BW, Giovannucci E. Cod liver oil, vitamin A toxicity, frequent respiratory infections, and the vitamin D deficiency epidemic.
[Ann Otol Rhinol Laryngol. 2008; 117\(11\):864-70.](#) Impact Factor: 1.05
- 11) **Bischoff-Ferrari HA**, Staehelin HB. Importance of vitamin D and calcium at older age.
[Int J Vitam Nutr Res. 2008; 78\(6\):286-92.](#) Impact Factor: 1.00
- 12) **Bosshard G**, Ulrich E, Ziegler SJ, Bär W. Assessment of requests for assisted suicide by a Swiss right-to-die society.
[Death Studies 2008; 32:646-657.](#) Impact Factor: 0.92
- 13) **Bosshard G**. Review of Dörries A, Neitzke G, Simon A, Vollmann J (eds) "Klinische Ethikberatung. Ein Praxisbuch".
[Bioethica Forum 2008; 1:125-126.](#) Impact Factor: 0.00
- 14) **Bosshard G**. Liberalisering av doedenshjelp – erfaringer fra Sveits [in Norwegian].
Omsorg 2008; 4:13-18. Impact Factor: 0.00
- 15) **Bosshard G**. Klinische Ethikberatung: Machtfreier Diskurs im Spital?
[SGEB-Bulletin 2008; 57:9-11.](#) Impact Factor: 0.00
- 16) **Bosshard G**. Ethische Aspekte der Transplantationsmedizin.
PULS 2008; 2/08, 12-13. Impact Factor: 0.00
- 17) **Bosshard G**. Sterbehelfer – eine neue Rolle für Europas Ärzteschaft?
[Schweiz Ärztezeitung 2008; 89:406-410.](#) Impact Factor: 0.00
- 18) Hurst SA, Reiter-Theil S, Baumann-Hölzle R, Foppa C, Malacrida R, **Bosshard G**, Salathé M, Mauron A. The growth of clinical ethics in a multilingual country: challenges and opportunities.
[Bioethica Forum 2008; 1:15-24.](#) Impact Factor: 0.00

2007

- 1) Ziegler SJ, **Bosshard G**. Role of non-governmental organisations in physician assisted suicide.
[British Medical Journal 2007; 334:295-298.](#) Impact Factor: 16.30
- 2) Forman JP, Giovannucci E, Holmes MD, **Bischoff-Ferrari HA**, Tworoger SS, Willett WC, Curhan GC. Plasma 25-Hydroxyvitamin D Levels and Risk of Incident Hypertension.
[Hypertension. 2007; 49\(5\):1063-9.](#) Impact Factor: 7.63
- 3) **Bischoff-Ferrari HA**, Dawson-Hughes B, Baron JA, Burckhardt B, Specker B, Willett WC et al. Calcium intake and risk of hip fracture in men and women: A meta-analysis of prospective cohort studies and randomized controlled trials.
[Am J Clin Nutr 2007; 86\(6\):1780-90.](#) Impact Factor: 6.92
- 4) Vieth R, **Bischoff-Ferrari H**, Boucher BJ, Dawson-Hughes B, Garland CF, Heaney RP, Holick MF, Hollis BW, Lamber-Allardt C, McGrath JJ, Norman AW, Scragg R, Whiting SJ, Willett WC, Zittermann A. The urgent need to recommend an intake of vitamin D that is effective.
[Am J Clin Nutr 2007; 86\(3\):809 \[Editorial\].](#) Impact Factor: 6.92

- 5) Dawson-Hughes B, **Bischoff-Ferrari HA**. Therapy of osteoporosis with calcium and vitamin D. [J Bone Miner Res 2007; 22 Suppl 2.V59-63.](#) Impact Factor: 6.59
- 6) Boonen S, Lips P, Bouillon R, **Bischoff-Ferrari HA**, Vanderschueren D, Haentjens P. Need for additional calcium to reduce the risk of hip fracture with vitamin D supplementation: evidence from a comparative meta-analysis of randomized controlled trials. [J Clin Endocrinol Metab. 2007; 92\(4\):1415-23.](#) Impact Factor: 6.31
- 7) **Bischoff-Ferrari HA**, Dawson-Hughes B. Where do we stand on vitamin D? [Bone. 2007; 41:S13-9.](#) Impact Factor: 4.46
- 8) **Bischoff-Ferrari HA**. How to select the doses of vitamin D in the management of osteoporosis. [Osteoporos Int. 2007; 18\(4\):401-7.](#) Impact Factor: 4.17
- 9) **Bischoff-Ferrari HA**, Orav JE, Baron JA. Effect of seasonality and weather on fracture risk in individuals 65 years and older. [Osteoporos Int. 2007; 18\(9\):1225-33.](#) Impact Factor: 4.17
- 10) Broe KE, Chen TC, Weinberg J, **Bischoff-Ferrari HA**, Holick MF, Kiel DP. A higher dose of vitamin D reduces the risk of falls in nursing home residents: a randomized, multiple-dose study. [J Am Geriatr Soc. 2007; 55\(2\):234-9.](#) Impact Factor: 4.22
- 11) **Bischoff-Ferrari HA**. The 25-hydroxyvitamin D threshold for better health. [J Steroid Biochem Mol Biol. 2007; 103:614-9.](#) Impact Factor: 4.05
- 12) Avina-Zubieta JA (co-chair), Alarcon G, **Bischoff-Ferrari HA** (co-chair), Fischer R, Gall V, Illei G, Liang MH, Mikdashi J, Petri M, Phillips C (co-chair), Pouchot J, Schneider M, Schur P, St Clair W. Measurements of fatigue in systemic lupus erythematosus. A systemic review. Ad hoc committee on SLE response criteria for fatigue. [Arthritis Care & Res. 2007; 57\(8\):1348-57. \[Consensus Statement\]](#) Impact Factor: 4.04
- 13) **Bosshard G**. Kulturelle Aspekte der Sterbehilfedebatte. *Bioethica Forum* 2007; 54:1-8. Impact Factor: 0.00
- 14) **Bosshard G**. Beihilfe zum Suizid und das Dilemma des Arztes. *Exit Info* 2007; 1:14-15. Impact Factor: 0.00
- 15) **Bosshard G**. Beihilfe zum Suizid – kein Teil der ärztlichen Tätigkeit? *Intercura* 2007; 97:20-23. Impact Factor: 0.00

2006

- 1) **Bischoff-Ferrari HA**, EJ Orav, Dawson-Hughes B. Effect of vitamin D plus calcium on falling in ambulatory older men and women: a 3-year randomized controlled trial. [Arc Intern Med 2006; 166\(4\):424-30.](#) Impact Factor: 13.25
- 2) **Bischoff-Ferrari HA**, Willett WC, Giovannucci E, Dietrich T, Dawson-Hughes B. Estimation of optimal 25-hydroxyvitamin D levels for multiple health outcomes. [Am J Clin Nutr, 2006; 84\(1\):18-28.](#) Impact Factor: 6.92
- 3) Van Delden JJM, Lofmark R, Deliens L, **Bosshard G**, Norup M, Ceconi R, van der Heide A. Do-Not-Resuscitate decisions in six European countries. [Crit Care Med 2006; 34:1686-1690.](#) Impact Factor: 6.15
- 4) **Bischoff-Ferrari HA**, Staehelin HB, Willett WC. The effect of undernutrition in the development of frailty in older persons. [J Gerontol A Biol Sci Med Sci. 2006 Jun;61\(6\):585-9 \[Editorial\].](#) Impact Factor: 4.98
- 5) **Bischoff-Ferrari HA**, Conzelmann M, Stähelin HB, Dick W, Carpenter MG, Adkin A, Theiler R, Pfeifer M, Allum JHJ. Is fall prevention by vitamin D mediated by a change in postural or dynamic balance? [Osteoporos Int 2006; 17\(5\):656-63.](#) Impact Factor: 4.17

- 6) Boonen S, **Bischoff-Ferrari HA**, Cooper C, Lips P, Ljunggren O, Meunier P, Reginster J-Y. Addressing the musculoskeletal components of fracture risk with calcium and vitamin D: a review of the evidence.
[Calcif Tissue Int. 2006; 78\(5\):25-70.](#) Impact Factor: 2.75
- 7) Miccinesi G, Rietjens JAC, Deliens L, Paci E, **Bosshard G**, Nilstun T, Norup M, van der Wal G. Deep sedation until death and medical end-of-life decisions: a death certificate study in six European countries.
[J Pain Sympt Manage 2006; 31:122-29.](#) Impact Factor: 2.74
- 8) Fischer S, **Bosshard G**, Faisst K, Fischer J, Bär W, Gutzwiller F. Swiss doctors' attitudes towards end-of-life decisions and their determinants: a comparison between three language parts.
[Swiss Med Wkly 2006; 135:370-376.](#) Impact Factor: 1.88
- 9) **Bosshard G**. Review of "Battin MP: Ending Life. Ethics and the way we die".
Medicine, Health Care and Philosophy 2006; 9:253-254. Impact Factor: 0.91
- 10) Löfmark R, Mortier F, Nilstun T, **Bosshard G**, Cartwright C, Norup M, Paci E, Onwuteaka-Philipsen B. Palliative care training: a survey of physicians in Australia and Europe.
[J Palliat Care 2006; 22:105-110.](#) Impact Factor: 0.80
- 11) **Bosshard G**, Fischer S, van der Heide A, Miccinesi G, Faisst K. Intentionally hastening death in withholding and withdrawing treatment.
[Wien Klin Wochenschr 2006; 118:322-326.](#) Impact Factor: 0.79
- 12) **Bosshard G**, de Stoutz N, Bär W. Eine gesetzliche Regulierung des Umgangs mit Opiaten und Sedativa bei medizinischen Entscheidungen am Lebensende?
[Ethik Med 2006; 18:120-132.](#) Impact Factor: 0.54
- 13) Fischer S, Miccinesi G, **Bosshard G**, Norup M, Nilstun T, van der Heide, A, Hornung R. Responders and non-responders and reasons for non-participation in a study on end-of-life decisions in Denmark, the Netherlands, Sweden and Switzerland.
[Soz Preventiv Med 2006; 51:24-33.](#) Impact Factor: 0.00

2005

- 1) **Bischoff-Ferrari HA**, Willett WC, Wong JB, Giovannucci E, Dietrich T, Dawson-Hughes B. Fracture Prevention by Vitamin D Supplementation: A Meta-Analysis of Randomized Controlled Trials.
[JAMA, 2005; 293\(18\):2257-64.](#) Impact Factor: 30.39
- 2) **Bosshard G**, Nilstun T, Bilsen J, Norup M, Miccinesi G, van Delden JJM, Faisst K, van der Heide A. Forgoing treatment at the end of life in six European countries.
[Arch Int Med 2005; 165:401-407.](#) Impact Factor: 13.25
- 3) **Bischoff-Ferrari HA**, Vondechend M, Bellamy N, Theiler R. Validation and Patient Acceptance of a Computer Touch Screen Version of the WOMAC 3.1 Osteoarthritis Index.
[Ann Rheum Dis. 2005; 64\(1\):80-4.](#) Impact Factor: 9.27
- 4) **Bischoff-Ferrari HA**, Zhang Y, Kiel DP, Felson DT. Positive association between serum 25-hydroxyvitamin D level and bone density in osteoarthritis.
[Arthritis Rheum 2005; 53\(6\):821-6.](#) Impact Factor: 7.87
- 5) Forman JP, **Bischoff-Ferrari HA**, Willett WC, Stampfer MJ, Curhan GC. Vitamin D intake and risk of incident hypertension: results from 3 large prospective cohort studies.
[Hypertension. 2005; 46:676-82.](#) Impact Factor: 7.63
- 6) Dietrich T, Nunn M, Dawson-Hughes B, **Bischoff-Ferrari HA**. Association between serum concentrations of 25-hydroxyvitamin D3 and gingival inflammation.
[Am J Clin Nutr. 2005; 82\(3\):575-80.](#) Impact Factor: 6.92

- 7) Lim HW, Gilchrest BA, Cooper KD, **Bischoff-Ferrari HA**, Rigel DS, Cyr WH, Miller S, DeLeo VA, Lee TK, Demko CA, Weinstock MA, Young A, Edwards LS, Johnson TM, Stone SP. Sunlight, Tanning Booths, and Vitamin D.
[J Am Acad Dermatol. 2005 May;52\(5\):868-76. \[Consensus Statement\].](#) Impact Factor: 5.00
- 8) **Bischoff-Ferrari HA**. Extra-skeletal effects of vitamin D.
[Current Opinion in Endocrinology and Diabetes. 2005, 12\(6\):464-470.](#) Impact Factor: 3.77
- 9) Majewski M, **Bischoff-Ferrari HA**, Grüneberg C, Dick W, Allum JH. Improvements in balance after total hip replacement.
[Journal of Bone and Joint Surgery \(British Volume\); 2005; 87\(10\):1337-43.](#) Impact Factor: 2.80
- 10) Schaeren S, **Bischoff-Ferrari HA**, Knupp M, Dick W, Huber JF, Theiler R. A Computer Touch Screen Version of the North American Spine Society outcome assessment instrument for the lumbar spine.
[Journal of Bone and Joint Surgery \(British Volume\). 2005; 87\(2\):201-4.](#) Impact Factor: 2.80
- 11) Dukas L, Staehelin HB, Schacht E, **Bischoff HA**. Better functional mobility in community-dwelling elderly is related to D-hormone serum levels and to daily calcium intake.
[J Nutr Health Aging. 2005;9\(5\):347-51.](#) Impact Factor: 2.66
- 12) **Bosshard G**. Review of "Tolmein O: Selbstbestimmungsrecht und Einwilligungsfähigkeit. Der Abbruch der künstlichen Ernährung bei Patienten im vegetative state".
Medicine, Health Care and Philosophy 2005; 8:133-134. Impact Factor: 0.91
- 13) **Bosshard G**, Fischer S, Faisst K. Behandlungsabbruch und Behandlungsverzicht in sechs europäischen Ländern: Resultate der MELS-Studie.
[Primary Care 2005; 5:799-802.](#) Impact Factor: 0.74
- 14) **Bosshard G**, Faisst K, Fischer S, Minder R, Zellweger U, Tschopp A, Gutzwiller F, Bär W. Begrenzung lebenserhaltender Massnahmen bei Patienten am Lebensende in der deutschsprachigen Schweiz – Resultate einer Todesfallstudie.
[Dtsch Med Wochenschr 2005; 130:2887-2892.](#) Impact Factor: 0.55
- 15) **Bosshard G**, Kiesewetter M, Rippe KP, Schwarzenegger C. Suizidbeihilfe bei Psychischkranken. Antwort der Autoren des Gutachtens auf die Stellungnahme der Schweizerischen Gesellschaft für Psychiatrie.
[Schweiz Ärztezeitung 2005; 86:1456.](#) Impact Factor: 0.00
- 16) **Bosshard G**. Assisted dying – from Should we do it? to Who should do it?
Project syndicate (international newspaper association) 2005, April. Impact Factor: 0.00
- 17) Cole D, Greengross S, Tallis R, **Bosshard G**, Dacombe C . Witness to the Select Committee on the Assisted Dying for the Terminally Ill Bill (January 18).
Assisted Dying for the Terminally Ill Bill,
Volume II: Evidence. HL Paper 2005; 86-II:533-551. Impact Factor: 0.00
- 18) Rippe KP, Schwarzenegger C, **Bosshard G**, Kiesewetter M. Urteilsfähigkeit von Menschen mit psychischen Störungen und Suizidbeihilfe.
[Schweizerische Juristenzeitung SJZ 2005; 101:53-62 und SJZ 101:81-91.](#) Impact Factor: 0.00

2004

- 1) **Bischoff-Ferrari HA**, Dawson-Hughes B, Willett WC, Stähelin HB, Bazemore MG, Zee RY, Wong JB. Effect of Vitamin D on falls: a Meta-Analysis.
[JAMA 2004; 28:291\(16\):1999-2006.](#) Impact Factor: 30.39
- 2) **Bischoff HA**, Lingard E, Losina E, Baron JA, Roos EM, Phillips CB, Mahomed NN, Barrett JA, Katz JN. Psychosocial and geriatric correlates of functional status after total hip replacement.
[Arthritis Rheum 2004; 51\(5\):829-35.](#) Impact Factor: 7.87

- 3) **Bischoff-Ferrari HA**, Dietrich T, Orav EJ, Hu FB, Zhang Y, Karlson WE, Dawson-Hughes B. Higher 25-hydroxyvitamin D concentrations are associated with better lower-extremity function in both active and inactive adults 60+ years of age.
[Am J Clin Nutr. 2004; 80\(3\):752-8.](#) Impact Factor: 6.92
- 4) Dietrich T, Joshipura KJ, Dawson-Hughes B, **Bischoff-Ferrari HA**. Association between 25-OH Vitamin D3 and Periodontal Disease in the US population.
[Am J Clin Nutr. 2004; 80\(1\):108-13.](#) Impact Factor: 6.92
- 5) **Bischoff-Ferrari HA**, Borchers M, Gudat F, Dürmüller U, Stähelin HB, Dick W. Vitamin D receptor expression in human muscle tissue is reduced with age.
[J Bone Miner Res. 2004; 19\(2\):265-9.](#) Impact Factor: 6.59
- 6) **Bischoff-Ferrari HA**, Dietrich T, Orav EJ, Dawson-Hughes C. Positive Association between 25-Hydroxyvitamin D Levels and Bone Mineral Density: a Population-Based Study of Younger and Older Adults.
[Am J Med 2004; 116\(9\):634-9.](#) Impact Factor: 5.30
- 7) Theiler R, **Bischoff-Ferrari HA**, Good M, Bellamy N. Responsiveness of the electronic touch screen WOMAC 3.1 OA Index in a short-term clinical trial with rofecoxib.
[Osteoarthritis Cartilage. 2004; 12\(11\):912-6.](#) Impact Factor: 4.66
- 8) Dukas L, **Bischoff HA**, Schacht E, Birkner-Binder D, Thalmann B, Binder K, Stähelin HB. Alphacalcidol reduces the number of fallers in a community-dwelling elderly population with a minimum calcium intake of 500 mg daily.
[J Am Geriatr Soc. 2004; 52\(2\):230-6.](#) Impact Factor: 4.22
- 9) Fischer S, **Bosshard G**, Zellweger U, Faisst K. Der Sterbeort: Wo sterben die Menschen heute in der Schweiz?
[Z Geront Geriat 2004; 37:467-474.](#) Impact Factor: 0.81
- 10) **Bischoff-Ferrari HA**, Staehelin HB. Vitamin D stärkt nicht nur die Knochen. Schweizer Zeitschrift für Ernährungsmedizin. 2004
- 11) **Bosshard G**. Ethical frameworks for biobanks - value impact or coincidence (work- shop abstract)? PropEur Workshop on Property in the Human Genome, Cardiff, July 8-9, 2004. Impact Factor: 0.00

2003

- 1) **Bosshard G**. Assisted suicide and euthanasia in Switzerland: Doctors occupy special position.
[British Medical Journal 2003; 327:51-52.](#) Impact Factor: 16.30
- 2) **Bischoff HA**, Stähelin HB, Dick W, Akos R, Knecht M, Salis C, Nebiker M, Theiler R, Pfeiffer M, Begerow B, Lew R, Conzelmann M. Effects of vitamin D and calcium supplementation on falls in the elderly: a randomized controlled trial.
[J Bone Miner Res. 2003; 18\(2\):343-51.](#) Impact Factor: 6.59
- 3) **Bischoff HA**, Roos E. Effectiveness and safety of strengthening, endurance and coordination exercises in Osteoarthritis
[Curr Opin Rheumatol. 2003; 12\(2\):141-4.](#) Impact Factor: 5.08
- 4) **Bischoff HA**, Stähelin HB, Iversen MD, Monsch AU, Weyh A, von Dechend M, Akos R, Conzelmann M, Dick W, Theiler R. Identifying a cut-off point for normal mobility: a comparison of the timed "up and go" test in community dwelling and institutionalized elderly women.
[Age Ageing 2003; 32\(3\):315-20.](#) Impact Factor: 3.11
- 5) **Bosshard G**, Jermini D, Eisenhart D, Bär W. Assisted suicide bordering on active euthanasia.
[Int J Legal Med 2003; 117:106-108.](#) Impact Factor: 2.60

- 6) De Hoon EWJ, Allum JHJ, Carpenter MG, Salis C, Bloem BR, Conzelmann M, **Bischoff HA**. Quantitative assessment of the stops walking while talking test in the elderly. [Arch Phys Med Rehabil. 2003 Jun;84\(6\):838-42.](#) Impact Factor: 2.44
- 7) **Bosshard G**, Ulrich E, Bär W. 748 cases of suicide assisted by a Swiss right-to-die organisation. [Swiss Med Wkly 2003; 133:310-317.](#) Impact Factor: 1.88
- 8) **Bischoff HA**. Importance of maximizing calcium and vitamin D in the elderly diet with respect to function and falls. [Aging Canada 2003.](#) Impact Factor: 0.90
- 9) **Bosshard G**, Wettstein A, Bär W. Wie stabil ist die Einstellung Betagter zu lebensverlängernden Massnahmen? Resultate einer 3-Jahres-Katamnese von Pflegeheimbewohnern. [Z Geront Geriat 2003; 36:124--129.](#) Impact Factor: 0.81
- 10) **Bischoff-Ferrari HA**, Conzelmann M, Dick W, Theiler R, Stahelin HB. Effect of vitamin D on muscle strength and relevance in regard to osteoporosis prevention. [Z Rheumatol. 2003; 62\(6\):518-21.](#) Impact Factor: 0.46
- 11) **Bosshard G**. Review of „Zimmermann-Acklin M: Euthanasie. Eine theo-logisch-ethische Untersuchung“. Ethical Theory and Moral Practice 2003; 6:343-345. Impact Factor: 0.00
- 12) **Bosshard G**. Schutz der Institution vorrangig. Kommentar zu Ebner G. Ethik im Gesundheitswesen – Fall einer psychisch Kranken mit einer unheilbaren körperlichen Krankheit mit Sterbewunsch. Schweiz Ärztezeitung 2003; 84(46):2429. Impact Factor: 0.00
- 13) **Bosshard G**, Portmann J, Wettstein A. Vom Regen in die Traufe? Aktuelle Tendenzen zur Entscheidungsbefugnis bei nicht urteilsfähigen Patienten im Urteil von Teilnehmern eines Zürcher Seniorenseminars. [Schweiz Ärztezeitung 2003; 84:1061-1063.](#) Impact Factor: 0.00
- 14) Faisst K, Fischer S, **Bosshard G**, Zellweger U, Bär W, Gutzwiller F. Medizinische Entscheidungen am Lebensende in sechs europäischen Ländern: Erste Ergebnisse. [Schweiz Ärztezeitung 2003; 84:1676-1678.](#) Impact Factor: 0.00

2002

- 1) Theiler R, Spielberger J, **Bischoff HA**, Bellamy N, Huber J, Kroesen S. Clinical evaluation of the WOMAC 3.0 OA Index in numeric rating scale format using a computerized touch screen version. [Osteoarthritis Cartilage 2002; 10\(6\):479-81.](#) Impact Factor: 4.66
- 2) **Bosshard G**, Fischer S, Bär W. Open regulation and practice in assisted dying. How Switzerland compares with the Netherlands and Oregon. [Swiss Med Wkly 2002; 132:527-534.](#) Impact Factor: 1.88
- 3) Theiler R, **Bischoff HA**, Good M, Uebelhart D. Rofecoxib improves quality of life in patients with hip or knee osteoarthritis. [Swiss Med Wkly 2002;132\(39\):566-573.](#) Impact Factor: 1.88
- 4) **Bosshard G**, Bär W. Sterbeassistenz und die Rolle des Arztes. Überlegungen zur aktuellen Debatte um die Regelung von Suizidbeihilfe und aktiver Sterbehilfe in der Schweiz. Aktuelle Juristische Praxis 2002; 11:407-413. Impact Factor: 0.00

2001

- 1) **Bischoff HA**, Conzelmann M, Lindemann D, Singer-Lindpaintner L, Stucki G, Vonthein R, Dick W, Theiler R, Stähelin HB. Self-reported exercise before age 40: influence on quantitative skeletal ultrasound and fall risk in the elderly. [Arch Phys Med Rehab 2001; 82\(6\):801-6.](#) Impact Factor: 2.44

- 2) **Bischoff HA**, Borchers M, Gudat F, Duermueller U, Theiler R, Stähelin HB, Dick W. In situ detection of 1,25-dihydroxyvitamin D₃ receptor in human skeletal muscle tissue.
[Histochem J 2001; 33\(1\):19-24](#) Impact Factor: 1.98
- 3) **Bosshard G**, Fischer S, Faisst K. Die Debatte um die Regelung von Sterbehilfe in der Schweiz und die MELS-Studie.
[Primary Care 2001; 1:600-604.](#) Impact Factor: 0.74

2000

- 1) Theiler R, Stähelin HB, Kränzlin M, Somorjai G, Singer-Lindpaintner L, Conzelmann M, Geusens P, **Bischoff HA**. Influence of physical mobility and season on 25-hydroxyvitamin D – parathyroid hormone interaction and bone remodeling in the elderly.
[Eur J Endocrinol 2000; 143\(5\):673-9](#) Impact Factor: 3.69
- 2) **Bischoff HA**, Theiler R, Lindemann D, Dick W, Conzelmann M, Staehelin HB. No influence of osteoarthritis of the hand on phalangeal osteosonography in elderly women.
[J Clin Densitom 2000; 3\(4\):353-7.](#) Impact Factor: 1.60
- 3) **Bischoff HA**, Stähelin HB, Tyndall A, Theiler R. Relationship between muscle strength and vitamin D metabolites: are there therapeutic possibilities in the elderly?
[Z Rheumatol. 2000; 59 Suppl 1:39-41.](#) Impact Factor: 0.46

1999

- 1) **Bischoff HA**, Vogt P, Friderich P, Vonthein R, Stähelin HB, Tyndall A, Theiler R. Immobility as a major cause of bone remodelling in residents of a long-stay geriatric ward.
[Calcif Tissue Int 1999;64:485-9.](#) Impact Factor: 2.75
- 2) **Bischoff HA**, Stähelin HB, Urscheler N, Ehrsam R, Vonthein R, Perrig-Chiello P, Tyndall A, Theiler R. Muscle strength in the elderly: its relationship to vitamin D metabolites.
[Arch Phys Med Rehab 1999;80:54-8.](#) Impact Factor: 2.44
- 3) Theiler R, Stähelin HB, Kränzlin M, Tyndall A, **Bischoff HA**. High bone turnover in the elderly.
[Arch Phys Med Rehabil 1999; 80\(5\):485-9.](#) Impact Factor: 2.44
- 4) Theiler R, Stähelin HB, Tyndall A, Binder K, Somorjai B, **Bischoff HA**. Calcidiol, calcitriol and parathyroid hormone serum concentrations in institutionalised and ambulatory elderly in Switzerland.
[Int J Vitam Nutr Res 1999; 69\(2\):96-105.](#) Impact Factor: 1.00
- 5) **Bosshard G**, Bär W, Wettstein A. Lebensverlängernde Massnahmen in der geriatrischen Langzeitpflege.
[Dtsch Ärztebl 1999; 21:1409-1413.](#) Impact Factor: 0.00

1998

- 1) Theiler R, **Bischoff HA**, Tyndall A, Stähelin HB. Elevated PTH levels in hypovitaminosis D are more rapidly suppressed by the administration of 1,25-dihydroxyvitamin D₃ than by vitamin D₃.
[Int J Vitam Nutr Res 1998; 68\(1\):36-41.](#) Impact Factor: 1.00